



	REVISION NOTES			
	DESCRIPTION	ECN	PR/NOR	
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND	PRODUCTION RELEASE	PXEC0169	N/A	
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         COMPOSITION TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         TOLERANCES NOT SPECIFIED       SOLID EDGE DO NOT SCALE DRAWING FOR DIMENSIONS         OXX ± 0.01       DRAWING         OXX ± 0.02       NCH         SHEET 1 OF 5       SCALE         COMPIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCITE FIZER         COMPANY and is subject to return on demand to copied or submitted to outside parties for use or exommotion.         TIEM ID       TIEM ID         TIEM ID       THE RAL DESCRIPTION       BABY 769-797         MEDICALO PEN SCROLL 15 HP OUADPLEX WITH 240 GALLON       DRAWING NUMBER         MSQ15A6       B       DR				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         COMPOSITION TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         TOLERANCES NOT SPECIFIED       SOLID EDGE DO NOT SCALE DRAWING FOR DIMENSIONS         OXX ± 0.01       DRAWING         OXX ± 0.02       NCH         SHEET 1 OF 5       SCALE         COMPIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCITE FIZER         COMPANY and is subject to return on demand to copied or submitted to outside parties for use or exommotion.         TIEM ID       TIEM ID         TIEM ID       THE RAL DESCRIPTION       BABY 769-797         MEDICALO PEN SCROLL 15 HP OUADPLEX WITH 240 GALLON       DRAWING NUMBER         MSQ15A6       B       DR				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LEGEND         BRAWNES TO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI 'Y143 DMENSIONIG AND TOLERANCIES'         SYMBOL LEGEND         BRAWNES TO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI 'Y143 DMENSIONIG AND TOLERANCIES'         TOLERANCES NOT SPECIFIED       SOLID EDGE       DO NOT SCALE DRAWING FOR DIMENSIONS         OXXX ± [0]       DRAWING       DIMENSIONS         OXXX ± [0]       DRAWING       DIMENSIONS         OXXX ± [0]       NCH       SHEET I OF 5       SCALE         COMPLEXITIAL DISCLOSURE This drawing is the property of POWEREX of the SOLID FEITER COMPANY on its subject to return on demand to copied or submitted to outside parties for use or exmination.       AUTHOR       AUTHOR       APPROVALS ON FILE IN PLM         TIEM ID       TIEM ID       TIEM ID       ASOLIEK [10/30/2018       AUTHOR       APPROVALS ON FILE IN PLM         MATERIAL        ID ORDUCTION DRIVE, HARRISON OH 49030       BOB 769-797       BOB 769-797         DESCRIPTION       MEDICAL OPEN SCROLL 15 HP QUADPLEX WITH 240 GALLON       DRAWING NUMBER       REVISION       SRE				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         COMPOSITION TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         TOLERANCES NOT SPECIFIED       SOLID EDGE DO NOT SCALE DRAWING FOR DIMENSIONS         OXX ± 0.01       DRAWING         OXX ± 0.02       NCH         SHEET 1 OF 5       SCALE         COMPIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCITE FIZER         COMPANY and is subject to return on demand to copied or submitted to outside parties for use or exommotion.         TIEM ID       TIEM ID         TIEM ID       THE RAL DESCRIPTION       BABY 769-797         MEDICALO PEN SCROLL 15 HP OUADPLEX WITH 240 GALLON       DRAWING NUMBER         MSQ15A6       B       DR				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND         BRAWINGS         TOLERNCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         XX ± 0.0         DXX ± 0.0         DXX ± 0.0         DXX ± 0.1         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         XX ± 0.1         DXX ± 0.1         <				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         COMPOSITION TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         TOLERANCES NOT SPECIFIED       SOLID EDGE DO NOT SCALE DRAWING FOR DIMENSIONS         OXX ± 0.01       DRAWING         OXX ± 0.02       NCH         SHEET 1 OF 5       SCALE         COMPIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCITE FIZER         COMPANY and is subject to return on demand to copied or submitted to outside parties for use or exommotion.         TIEM ID       TIEM ID         TIEM ID       THE RAL DESCRIPTION       BABY 769-797         MEDICALO PEN SCROLL 15 HP OUADPLEX WITH 240 GALLON       DRAWING NUMBER         MSQ15A6       B       DR				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         COMPOSITION TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         TOLERANCES NOT SPECIFIED       SOLID EDGE DO NOT SCALE DRAWING FOR DIMENSIONS         OXX ± 0.01       DRAWING         OXX ± 0.02       NCH         SHEET 1 OF 5       SCALE         COMPIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCITE FIZER         COMPANY and is subject to return on demand to copied or submitted to outside parties for use or exommotion.         TIEM ID       TIEM ID         TIEM ID       THE RAL DESCRIPTION       BABY 769-797         MEDICALO PEN SCROLL 15 HP OUADPLEX WITH 240 GALLON       DRAWING NUMBER         MSQ15A6       B       DR				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LEGEND         BRAWNES TO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI 'Y143 DMENSIONIG AND TOLERANCIES'         SYMBOL LEGEND         BRAWNES TO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI 'Y143 DMENSIONIG AND TOLERANCIES'         TOLERANCES NOT SPECIFIED       SOLID EDGE       DO NOT SCALE DRAWING FOR DIMENSIONS         OXXX ± [0]       DRAWING       DIMENSIONS         OXXX ± [0]       DRAWING       DIMENSIONS         OXXX ± [0]       NCH       SHEET I OF 5       SCALE         COMPLEXITIAL DISCLOSURE This drawing is the property of POWEREX of the SOLID FEITER COMPANY on its subject to return on demand to copied or submitted to outside parties for use or exmination.       AUTHOR       AUTHOR       APPROVALS ON FILE IN PLM         TIEM ID       TIEM ID       TIEM ID       ASOLIEK [10/30/2018       AUTHOR       APPROVALS ON FILE IN PLM         MATERIAL        ID ORDUCTION DRIVE, HARRISON OH 49030       BOB 769-797       BOB 769-797         DESCRIPTION       MEDICAL OPEN SCROLL 15 HP QUADPLEX WITH 240 GALLON       DRAWING NUMBER       REVISION       SRE				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         SIMBOL LEGEND         BRAWING STO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         COMPOSITION TO CURRENT REVISION OF THE FOLLOWING ANSI STREED         TOLERANCES NOT SPECIFIED       SOLID EDGE DO NOT SCALE DRAWING FOR DIMENSIONS         OXX ± 0.01       DRAWING         OXX ± 0.02       NCH         SHEET 1 OF 5       SCALE         COMPIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCITE FIZER         COMPANY and is subject to return on demand to copied or submitted to outside parties for use or exommotion.         TIEM ID       TIEM ID         TIEM ID       THE RAL DESCRIPTION       BABY 769-797         MEDICALO PEN SCROLL 15 HP OUADPLEX WITH 240 GALLON       DRAWING NUMBER         MSQ15A6       B       DR				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LEGEND         BRAWNES TO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI 'Y143 DMENSIONIG AND TOLERANCIES'         SYMBOL LEGEND         BRAWNES TO COMPORT TO CURRENT REVISION OF THE FOLLOWING ANSI 'Y143 DMENSIONIG AND TOLERANCIES'         TOLERANCES NOT SPECIFIED       SOLID EDGE       DO NOT SCALE DRAWING FOR DIMENSIONS         OXXX ± [0]       DRAWING       DIMENSIONS         OXXX ± [0]       DRAWING       DIMENSIONS         OXXX ± [0]       NCH       SHEET I OF 5       SCALE         COMPLEXITIAL DISCLOSURE This drawing is the property of POWEREX of the SOLID FEITER COMPANY on its subject to return on demand to copied or submitted to outside parties for use or exmination.       AUTHOR       AUTHOR       APPROVALS ON FILE IN PLM         TIEM ID       TIEM ID       TIEM ID       ASOLIEK [10/30/2018       AUTHOR       APPROVALS ON FILE IN PLM         MATERIAL        ID ORDUCTION DRIVE, HARRISON OH 49030       BOB 769-797       BOB 769-797         DESCRIPTION       MEDICAL OPEN SCROLL 15 HP QUADPLEX WITH 240 GALLON       DRAWING NUMBER       REVISION       SRE				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND         SYMBOL LECEND         SPREDICES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         XX ±         DO SOL         VIAS MAILTI AND SECTIONL VER DWGS         YIAS DMENSIONS AND TOLERANCES         TOLERANCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         OXX ±         DO SOLID EDGE         DAWING         DIMENSIONS         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         OXX ±         DO SOLID EDGE         DAWING         DAWING         DAWING         DAWING IS SUBJECT IFTER         MATERIAL         COMPRENTIAL DISCLOSURE         TOLERANCES TO USE OF SUBJECT TETER         DIMENSIONE         DIMENSION OF 4000         DIMENSION OF 4000         DIMENSION OF 4000         DIMENSION OF 4000				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND         SYMBOL LECEND         SYMBOL SCIENCE         TOLERANCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         MAX ± 01         SYMBOL LECEND         SYMBOL SCIENCE         TOLERANCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         SOXX ± 005         NCH       SHEET I OF 5         SCALE       1:12.         COMPRENTIAL DISCLOSURE       AUTHOR         OWERN of the subject to return on demond to resonate to be copied or submitted to out do nue of n				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND         SYMBOL SYMBOL         SYMBOL SYMBOL SYMBOL				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LECEND         DRAWINGS TO CORPORA TO CURRENT REVISION OF THE FOLLOWING ANSI TOLERANCES NOT SPECIFIED         SOLID EDGE         DO NOT SCALE DRAWING FOR DIMENSIONS         DIXX ± 01         COMFIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCIUT FEIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         MATERIAL         TEEM D         TIER ND         TIER ND         TOLEFANCES NOT SPECIFIC         DIMENSIONS         SCALE         DIMENSIONS         SCALE         THE MD         TIEBND         TIEBND         MATERIAL            DESCRIPTION         MEDICAL OPEN SCROLL 15 HP         MANNON NUMBER       REVISION HOUSE         MEDICAL OPEN SCROLL 15 HP         MATERIAL       MEDICALLON          REVISION BASCROLL 15				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LECEND         DRAWINGS TO CORPORA TO CURRENT REVISION OF THE FOLLOWING ANSI TOLERANCES NOT SPECIFIED         SOLID EDGE         DO NOT SCALE DRAWING FOR DIMENSIONS         DIXX ± 01         COMFIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCIUT FEIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         COMPLEXITY FLIZER         MATERIAL         TEEM D         TIER ND         TIER ND         TOLEFANCES NOT SPECIFIC         DIMENSIONS         SCALE         DIMENSIONS         SCALE         THE MD         TIEBND         TIEBND         MATERIAL            DESCRIPTION         MEDICAL OPEN SCROLL 15 HP         MANNON NUMBER       REVISION HOUSE         MEDICAL OPEN SCROLL 15 HP         MATERIAL       MEDICALLON          REVISION BASCROLL 15				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LECEND         DRAWINGS TO COMPON TO CURRENT REVISION OF THE FOLLOWING ANSI         TOLERANCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         DXX ±       DI         DXX ±       DI         DONOT SCALE DRAWING FOR         DIMENSIONS       DIMENSIONS         DXX ±       DI         DOMOT SCALE DRAWING FOR         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       AUTHOR         ACCOMPONITELISCLOSURE       AUTHOR         THEM ID       TOLERANCES TO USE OF AUTHOR         TIED RIS TO USE OF AUTHOR       AUTHOR         DIMENSION OF 40002       BIBLIT 200         DUADED CLINE DIVEL HARGEON OF 40002         DIMENSION OF 40002       BIBLIT 200         DUADED CLINE DIVEL HARGEON OF 40002       BIBLIT 200         DISCRIPTION       MEDICALE OF NS				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         STMBOLLECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND         SYMBOL SYMBOL         SYMBOL SYMBOL SYMBOL				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND         SYMBOL SYMBOL         SYMBOL SYMBOL SYMBOL				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LECEND         DRAWINGS TO COMPON TO CURRENT REVISION OF THE FOLLOWING ANSI         TOLERANCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         DXX ±       DI         DXX ±       DI         DONOT SCALE DRAWING FOR         DIMENSIONS       DIMENSIONS         DXX ±       DI         DOMOT SCALE DRAWING FOR         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       SCALE         DIMENSIONS       AUTHOR         ACCOMPONITELISCLOSURE       AUTHOR         THEM ID       TOLERANCES TO USE OF AUTHOR         TIED RIS TO USE OF AUTHOR       AUTHOR         DIMENSION OF 40002       BIBLIT 200         DUADED CLINE DIVEL HARGEON OF 40002         DIMENSION OF 40002       BIBLIT 200         DUADED CLINE DIVEL HARGEON OF 40002       BIBLIT 200         DISCRIPTION       MEDICALE OF NS				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         STMBOLLECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         STINBOL LECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         STMBOLLECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         STMBOLLECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SIMBOL LECEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LEGEND				
I. APPROX SYSTEM WEIGHT: 5619 LB         2. 24" MINIMUM MAINTENANCE CLEARANCE RECOMMENDED         ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN         ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LECEND         SYMBOL LECEND         SYMBOL SCIENCE         TOLERANCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         MAX ± 01         SYMBOL LECEND         SYMBOL SCIENCE         TOLERANCES NOT         SOLID EDGE         DO NOT SCALE DRAWING FOR         DIMENSIONS         SOXX ± 005         NCH       SHEET I OF 5         SCALE       1:12.         COMPRENTIAL DISCLOSURE       AUTHOR         OWERN of the subject to return on demond to resonate to be copied or submitted to out do nue of n				
ALL SIDES. CLEARANCE FOR CONTROL PANELSHALL BE IN ACCORDANCE WITH OSHA/NEC REQUIREMENTS         SYMBOL LEGEND       DRAWINGS TO CONFORM TO CURRENT REVISION OF THE FOLLOWING ANSI STANDARDS. Y145 DMENSIONING AND TOLERANCING         TOLERANCES NOT SPECIFIED       SOLID EDGE       DO NOT SCALE DRAWING FOR DIMENSIONS         OXX *       01       DRAWING         OXX *       005       INCH         SHEET I OF 5       SCALE       I:12.         COMPORTIAL DISCLOSURE Its drawing in the property of POWERX of the SCOTT FETZER COMPONTIAL DISCLOSURE ASOULIEk I0/30/2018       ASOULIEk I0/30/2018         THE ID 716810       Internal UNTERNAL       ASOULIEk I0/30/2018         MATERIAL Iso PRODUCTION DRIVE HARRISON OH 45030 (ISBB) 769-7979       ISO DRAWING NUMBER MSQ15A6       REVISION B	I. APPROX SYSTEM WEIGHT: 561			
SYMBOL LEGEND       DRAWINGS TO CONFORM TO CURRENT REVISION OF THE FOLLOWING ANSI STADARDS 1145 MULTI AND SECTIONAL VEW DWGS 1145 MULTI	ALL SIDES. CLEARANCE FOR CC	NTROL PANELSHA		
TOLERANCES NOT SPECIFIED       SOLID EDGE DRAWING       D0 NOT SCALE DRAWING FOR DIMENSIONS         0.XX ±       .0.1       DRAWING       DIMENSIONS         0.XX ±       .0.5       INCH       SHEET I OF 5       SCALE       I:12.         CONFIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCOTT FETZER COMPANY and is subject to return on demand. Its contents are confidential and must not be outside parties for use or examination.       AUTHOR       ORIGINATION DATE       APPROVALS ON FILE IN PLM         TIEM ID       716810       Iso PRODUCTION DRIVE, HARRISON OH 45030 (888) 769-7979       Iso PRODUCTION DRIVE, HARRISON OH 45030 (888) 769-7979       SIZE         DESCRIPTION MEDICAL OPEN SCROLL I5 HP QUADPLEX WITH 240 GALLON       DRAWING NUMBER       REVISION       SIZE	SYMBOL LEGEND DRAWIN STAND/	IGS TO CONFORM TO CURRENT REVISIO ARDS:	N OF THE FOLLOWING ANSI	
SHELFIED       DRAWING       DIMENSIONS         0.XX ±       0.0       DRAWING       DIMENSIONS         0.XX ±       0.05       INCH       SHEET I OF 5       SCALE       I:12.         0.XX ±       0.05       INCH       SHEET I OF 5       SCALE       I:12.         0.XX ±       0.05       INCH       SHEET I OF 5       SCALE       I:12.         0.XX ±       0.05       INCH       SHEET I OF 5       SCALE       I:12.         0.XX ±       0.07 ordis subject to return on demand.       Its contents are confidential and must not be copied or submitted to outside parties for use or examination.       ASoulek       I0/30/2018         ITEM ID:       716810       Iso PRODUCTION DRIVE, HARRISON OH 45030       IsoB PRODUCTION DRIVE, HARRISON OH 45030         IBBB 769-7979       IsoB PRODUCTION DRIVE, HARRISON OH 45030       IsBB 769-7979       SIZE         DESCRIPTION       MEDICAL OPEN SCROLL 15 HP       MSQ15A6       B       D         MEDICAL OPEN SCROLL 15 HP       MSQ15A6       B       D       D		IMENSIONING AND TOLERANCING	AWING FOR	
INCH       SHEET TOF 5       SCALE       I:12.         CONFIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCOTT FETZER COMPANY and is subject to return on demand. Its contents are confidential and must not be copied or submitted to outside parties for use or examination.       AUTHOR       ORIGINATION DATE       APPROVALS ON FILE IN PLM         ITEM ID: 716810       AUTHOR       ORIGINATION DATE       APPROVALS ON FILE IN PLM         MATERIAL: ISO PRODUCTION DRIVE, HARRISON OH 45030 (B88) 769-7979       ISO PRODUCTION DRIVE, HARRISON OH 45030 (B88) 769-7979         DESCRIPTION MEDICAL OPEN SCROLL 15 HP QUADPLEX WITH 240 GALLON       DRAWING NUMBER MSQ15A6       REVISION B       SIZE D	0.XX ± .01 DRAWING	DIMENSIO	√S	
of the SCOTT FETZER         COMPANY and is subject to return on demand.         Its contents are confidential and must not be copied or submitted to outside parties for use or examination.         ITEM ID:         716810         MATERIAL:            DESCRIPTION         MEDICAL OPEN SCROLL 15 HP         QUADPLEX WITH 240 GALLON	CONFIDENTIAL DISCLOSURE This drawing is the property of POWEREX			
outside parties for use or examination.         ITEM ID:         716810         MATERIAL:            ISO PRODUCTION DRIVE, HARRISON OH 45030 (888) 769-7979         DESCRIPTION         MEDICAL OPEN SCROLL 15 HP QUADPLEX WITH 240 GALLON	COMPANY and is subject to return on demand. Its contents are confidential and must not be			
I 50 PRODUCTION DRIVE, HARRISON OH 45030 I8881 769-7979DESCRIPTIONDRAWING NUMBERREVISIONMEDICAL OPEN SCROLL I5 HP QUADPLEX WITH 240 GALLONDRAWING NUMBERB	outside parties for use or examination. ITEM ID: 716810	SPOME		
MEDICAL OPEN SCROLL 15 HP MSQ15A6 B D	MATERIAL:	I 50 PRODUCTION DRIVE, HARRIS (888) 769-7979	ON OH 45030	
TANK	MEDICAL OPEN SCROLL 15 HP MSQ15 QUADPLEX WITH 240 GALLON			



	REVI	ISION NO				
	SCRIPTION		EC		PR/NC	
PRODUC	TION RELEASE		PXECO	0169	N/A	
	A CALLER OF THE OWNER OF THE OWNE					
	A CONTRACTOR					
$\checkmark$						
) GALLON ASME						
RECIEVER						
RECIEVER						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED						
RECIEVER ERNALLY LINED 2 IN NPT AIR INLET 2 IN NPT AIR INLET NOTES: 1. APPROX S	YSTEM WEIGHT:					
RECIEVER ERNALLY LINED 2 IN NPT AIR INLET 2 IN NPT AIR INLET NOTES: 1. APPROX S' 2. 24" MINIM ALL SIDES. C	UM MAINTENAN CLEARANCE FOI	NCE CLE R CONT	ARANCE I ROL PANE	ELSHALL		
RECIEVER ERNALLY LINED 2 IN NPT AIR INLET 2 IN NPT AIR INLET NOTES: 1. APPROX S' 2. 24" MINIM ALL SIDES. C	UM MAINTENAN	NCE CLE R CONT JEC REQ	ARANCE I ROL PANE UIREMEN	ELSHALL TS	_ BE IN	IG ANSI
RECIEVER ERNALLY LINED 2 IN NPT AIR INLET 2 IN NPT AIR INLET NOTES: 1. APPROX SS 2. 24" MINIM ALL SIDES. C ACCORDANCE IMEDILLEGEND	UM MAINTENAN CLEARANCE FOI E WITH OSHA/N	NCE CLE R CONT JEC REQ DRAWINGS T STANDARDS Y14.3 MULTI	ARANCE I ROL PANE UIREMEN O CONFORM TO CU AND SECTIONAL VI SIONING AND TOLEF	ELSHALL TS IRRENT REVISION IEW DWGS RANCING	_ BE IN	IG ANSI
RECIEVER ERNALLY LINED 2 IN NPT AIR INLET 2 IN NPT AIR INLET NOTES: 1. APPROX S' 2. 24" MINIM ALL SIDES. C ACCORDANCE INDIFICIENCES INT SYMEDIL LECEND TOLERANCES INT SYMEDIL LECEND TOLERANCES INT SYMEDIL LECEND	UM MAINTENAN CLEARANCE FOI	NCE CLE R CONT JEC REQ DRAWINGS T STANDARDS Y14.3 MULTI	ARANCE I ROL PANE UIREMEN O CONFORM TO CU AND SECTIONAL VI SIONING AND TOLEF DO NOT S	ELSHALL TS IRRENT REVISION IEW DWGS RANCING	- BE IN	IG ANSI
RECIEVER ERNALLY LINED 2 IN NPT AIR INLET 2 IN NPT AIR INLET NOTES: 1. APPROX SS 2. 24" MINIM ALL SIDES. C ACCORDANCE SYMEOL LEGEND TOLERANCES NOT SPECIFIED UXX ± 01 UXX ± 01	UM MAINTENAN CLEARANCE FOI E WITH OSHA/N SOLID EDGE DRAWING INCH	NCE CLE R CONT JEC REQ DRAWINGS T STANDARDS Y14.3 MULTI Y14.5 DIMEN	ARANCE I ROL PANE UIREMEN O CONFORM TO CU AND SECTIONAL VI SIONING AND TO LEF DO NOT S ET 2 OF 4	ELSHALL TS IRRENT REVISION IEW DWGS RANCING SCALE DRA DIMENSION 5	- BE IN I OF THE FOLLOWIN AWING FOR IS SCALE	1:12
NOTES:         1. APPROX SI         2. A" MINIMALL SIDES: CONTROL         SUBJECT SIDE	UM MAINTENAN CLEARANCE FOR E WITH OSHA/N SOLID EDGE DRAWING INCH AL DISCLOSURE e property of POWEREX DOT FETZER ect to return on demand. idential and must not be	NCE CLE R CONT JEC REQ DRAWINGS T STANDARDS Y14.3 MULT Y14.5 DIMEN SHE AUTHOR	ARANCE I ROL PANE UIREMEN O CONFORM TO CU AND SECTIONAL VI SIONING AND TOLEF DO NOT S DO NOT S C ET 2 OF S	ELSHALL TS IRRENT REVISION IEW DWGS RANCING SCALE DRA DIMENSION 5	- BE IN R OF THE FOLLOWIN AWING FOR IS	1:12
RECIEVER RMALLY LINED	UM MAINTENAN CLEARANCE FOI E WITH OSHA/N SOLID EDGE DRAWING INCH AL DISCLOSURE P property of POWEREX SOTT FETZER ect to return on demand.	NCE CLE R CONT JEC REQ DRAWINGS T STANDARDS Y14.3 MULT Y14.5 DIMEN SHE AUTHOR	ARANCE I ROL PANE UIREMEN O CONFORM TO CU AND SECTIONAL VI SIONING AND TO LEF DO NOT S ET 2 OF 4	ELSHALL TS IRRENT REVISION IEW DWGS RANCING SCALE DRA DIMENSION 5	- BE IN I OF THE FOLLOWIN AWING FOR IS SCALE	1:12
RECIEVER ERNALLY LINED	UM MAINTENAN CLEARANCE FOI E WITH OSHA/N SOLID EDGE DRAWING INCH AL DISCLOSURE e property of POWEREX OTT FETZER ect to return on demand. idential and must not be submitted to	NCE CLE R CONT JEC REQ DRAWINGS T STANDARDS Y14.3 MULT Y14.5 DIMEN SHE AUTHOR	ARANCE I ROL PANE UIREMEN O CONFORM TO CU AND SECTIONAL VI SIONING AND TOLEF DO NOT S ET 2 OF 4 ORIGINATION DATE 10/30/2018	ELSHALL TS RRENT REVISION IEW DWGS SCALE DRA DIMENSION 5 APPROVA	BE IN OF THE FOLLOWIN AWING FOR IS SCALE ALS ON FILE	1:12
RECIEVER SMALLY LINED	UM MAINTENAN CLEARANCE FOR E WITH OSHA/N SOLID EDGE DRAWING INCH AL DISCLOSURE e property of POWERX OTT FETZER ect to return on demand. idential and must not be submitted to r use or examination.	NCE CLE R CONT JEC REQ DRAWINGS T STANDARDS Y14.3 MULT Y14.5 DIMEN SHE AUTHOR	ARANCE I ROL PANE UIREMEN O CONFORM TO CU AND SECTIONAL VI SIONING AND TOLEF DO NOT S C ET 2 OF S ORIGINATION DATE 10/30/2018	ELSHALL TS IRRENT REVISION IEW DWGS RANCING SCALE DRA DIMENSION 5 APPROVA	BE IN OF THE FOLLOWIN AWING FOR IS SCALE ALS ON FILE	1:12

**REVISION NOTES** 



[	REVISION NOTES		
	DESCRIPTION	ECN	PR/NOR
L	PRODUCTION RELEASE	PXEC0169	N/A
BASI	C PANEL ONLY		
	· — — — — — — – – – – –		
	PRESS.		
	GAUGE   AG 3 0-200 PSI   SSURE (GA031400AV)		
I			
PRESS. GAUGE PRESS.			
0-200 PSI RELIEF (GA031901AV) 140PSI			
	) SIGHT GAUGE		
	GAUGL		
$\frac{1}{2}$ BALL V	ALVE		
	C AUTO DRAIN		
$\frac{1}{4}$ " FNPT TO			
FLOOR DRAIN			
	-		
2" NPT AIR OUTLET			
	SYMBOL LEGEND DRAWIN	IGS TO CONFORM TO CURRENT REVISION	N OF THE FOLLOWING AN
	TOLERANCES NOT	ARDS: JULTI AND SECTIONAL VIEW DWGS JIMENSIONING AND TOLERANCING DO NOT SCALE DR/	
	SPECIFIED     SOLID EDGE       0.XX ±     .01	DIMENSION	IS
	∠ ± .5     CONFIDENTIAL DISCLOSURE     AUTHO	HEET 3 OF 5	SCALE I

ASoulek 10/30/201

DRAWING NUMBER

AUTHOR ORIGINATION DATE APPROVALS ON FILE IN PLM

<u>EPOMEREX</u>

CONFIDENTIAL DISCLOSURE This drawing is the property of POWEREX of the SCOTT FETZER COMPANY and is subject to return on demand. Its contents are confidential and must not be copied or submitted to outside parties for use or examination.

MEDICAL OPEN SCROLL 15 HP QUADPLEX WITH 240 GALLON TANK


716810

DESCRIPTION

REVISION

В

D






	DESCRIPTION	ECN	PR/NOR
	PRODUCTION RELEASE	PXEC0169	N/A
- <u>TO DISCH</u>	ARGE TREE		
	SYMBOL LEGEND TOLERANCES NOT SPECIFIED 0.XX ± .01 0.XXX ± .005 INCH LEGEND INCH	DRAWINGS TO CONFORM TO CURRENT RE STANDARDS: Y14.3 MULTI AND SECTIONAL VIEW DWGS Y14.5 DIMENSIONING AND TOLERANCING DO NOT SCALE DIMENS SHEET 4 OF 5	DRAWING FOR
	outside parties for use or examination. ITEM ID: 716810	AUTHOR ORIGINATION DATE APPI ASoulek 10/30/2018	ROVALS ON FILE IN PLM
	MATERIAL:	ISO PRODUCTION DRIVE, HA (888) 769-7 DRAWING NUMBER ASQI5A6	RRISON OH 45030 979 REVISION B D

**REVISION NOTES** 

	PIPE SIZE CHART	
PUMP COUNT	DRYER PLUMBING SIZE	OUTLET PIPE SIZE
2	1/2"	1/2"
3	1/2"	" 
4	1/2"	["
6	["	I-I/2"
8	["	I-I/2"
9	["	I-I/2"
12	I-I/2"	2"
15	I-I/2″	2"
18	I-I/2"	2"



MSQI5A6 MEDICAL OPEN SCROLL 15 HP QUADPLEX WITH 240 GALLON TANK MEDICAL DRYER FLOW DIAGRAM

	DESCRIPTION	ECN	PR/NOR
L	PRODUCTION RELEASE	E PXEC0169	N/A
_ET			
	SYMBOL LEGEND	DRAWINGS TO CONFORM TO CURRENT REVIS STANDARDS: Y14.3 MULTI AND SECTIONAL VIEW DWGS Y14.5 DIMENSIONING AND TOLERANCING	ON OF THE FOLLOWING ANSI
	TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING	DO NOT SCALE DE	
	$\begin{array}{c cccc} 0.XX \pm & .01 & DRAWING \\ \hline 0.XXX \pm & .005 & \\ \hline \checkmark \pm & .5 & \\ \end{array}$	SHEET 5 OF 5	SCALE I:I
	CONFIDENTIAL DISCLOSURE This drawing is the property of POWEREX of the SCOTT FETZER	AUTHOR ORIGINATION DATE APPRO	VALS ON FILE IN PLN
	COMPANY and is subject to return on demand. Its contents are confidential and must not be copied or submitted to outside parties for use or examination. ITEM ID:	ASoulek 10/30/2018	
	716810 material:		SON OH 45030
	 DESCRIPTION MEDICAL OPEN SCROLL 15 HP	DRAWING NUMBER MSQ15A6	REVISION SIZE
	QUADPLEX WITH 240 GALLON		

**REVISION NOTES**