





ISO VIEW


	REVISION	NOTES	
	DESCRIPTION	ECN	PR/NOR
	PRODUCTION RELASE	PXEC0169	N/A
POW			
A CONTRACT OF A			
	·		
	PT AIR INLET		
	NOTES:	31 8	
	NOTES: I. APPROX SYSTEM WEIGHT: 323 38.69 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO	CLEARANCE RECON INTROL PANELSHAI	
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F	CLEARANCE RECON ONTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO	LL BE IN
	NOTES: I. APPROX SYSTEM WEIGHT: 323 38.69 ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F SYMBOL LEGEND DRAWIN STANDA YI43 D	CLEARANCE RECON DNTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO IRDS: ULLI AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING	LL BE IN
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE O ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F SYMBOL LEGEND DRAWING TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING DRAWING	CLEARANCE RECON NTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO INCDS: INCLUITI AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING DO NOT SCALE DR DIMENSION	LL BE IN N OF THE FOLLOWING ANSI AWING FOR NS
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F STADD TOLERANCES NOT SPECIFIED TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING OXX ± 01 OXX ± 01 OXX ± 05 CONFIDENTIAL DISCLOSURE	CLEARANCE RECOM NTROL PANELSHA REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO INFOSIONING AND TO CURRENT REVISIO INFOSIONING AND TO LERANCING DO NOT SCALE DR. DIMENSION HEET I OF 5	LL BE IN N OF THE FOLLOWING ANSI AWING FOR VS SCALE I:1(
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE O ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F TOLERANCES NOT SYMBOL LEGEND TOLERANCES NOT SYMBOL LEGEND TOLERANCES NOT SYMBOL LEGEND TOLERANCES NOT SOLID EDGE DRAWING OXX ± 01 OXX ± 01 CONFIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCOTT FEIZER COMPANY and is subject to return on demand. Its contents are confidential and must not be Company and is subject to return on demand. Its contents are confidential and must not be Company and is subject to return on demand. Its contents are confidential and must not be ASOUND	CLEARANCE RECOM NTROL PANELSHA REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO INFOSIONING AND TO CURRENT REVISIO INFOSIONING AND TO LERANCING DO NOT SCALE DR. DIMENSION HEET I OF 5	LL BE IN N OF THE FOLLOWING ANSI AWING FOR NS
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F STAND VIAS D TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING CONFIDENTIAL DISCLOSURE This drowing is the property of POWEREX of the SCOTT FETZER COMPANY and is subject to return on demand. Its contents are confidential and must not be copied or submitted to outside parties for use or examination. TTEM ID 716302	CLEARANCE RECOM NTROL PANELSHAR REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO INCLE AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING DO NOT SCALE DR. DIMENSION HEET I OF 5 R ORIGINATION DATE APPROV ek 10/2/2018	LL BE IN N OF THE FOLLOWING ANSI AWING FOR S SCALE I:IC (ALS ON FILE IN PLI
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE O ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC FOR STANDA TOLERANCES NOT SPECIFIED TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING OXX ± 01 OXX ± 01 OXX ± 05 NCH SI CONFIDENTIAL DISCLOSURE This drawing is the property of POWERX of the SCOTT FEIZER COMPANY and is subject to return on demand. Its contents are confidential and must not be copied or submitted to outside parties for use or examination. TTEM ID.	CLEARANCE RECOM NTROL PANELSHAR REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO RESS. IULTI AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING DO NOT SCALE DR. DIMENSION HEET I OF 5 R ORIGINATION DATE APPROV ek 10/2/2018 ISO PRODUCTION DRIVE, HARRISC (888) 769-7979	LL BE IN N OF THE FOLLOWING ANSI AWING FOR SCALE I:10 (ALS ON FILE IN PL







IS0

F	REVISION		
Ļ		ECN	PR/NOR
L	PRODUCTION RELASE	PXEC0169	N/A
	1		
CEPTER I			
IEW			
	N NPT AIR INLET		
	N NPT AIR INLET		
	N NPT AIR INLET		
	N NPT AIR INLET		
	N NPT AIR INLET		
	N NPT AIR INLET		
	N NPT AIR INLET		
	N NPT AIR INLET		
	NOTES:	33 LB	
	NOTES: I. APPROX SYSTEM WEIGHT: 32: 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO	CLEARANCE RECON INTROL PANELSHAI	
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F	CLEARANCE RECON ONTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISIO	LL BE IN
	NOTES: I. APPROX SYSTEM WEIGHT: 32: 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F SYMBOL LEGEND DRAWIN STAND YI4.5 D TOLERANCES NOT SOL ID EDGE	CLEARANCE RECON DNTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISION ARDS: IULTI AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING	LL BE IN
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F STMBOL LEGEND DRAWING TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING	CLEARANCE RECOM DNTROL PANELSHAI REQUIREMENTS (STO CONFORM TO CURRENT REVISION (ILLTI AND SECTIONAL VIEW DWGS (IMENSIONING AND TOLERANCING DO NOT SCALE DR. DIMENSION	LL BE IN N OF THE FOLLOWING ANSI AWING FOR NS
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC FOR SYMBOL LEGEND TOLERANCES NOT SPECIFIED SOLID EDGE DRAWING 0.XXX ± .01 0.XXX ± .01	CLEARANCE RECOM ONTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISION ARDS: IULTI AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING DO NOT SCALE DR. DIMENSION HEET 2 OF 5	LL BE IN N OF THE FOLLOWING ANSI AWING FOR NS SCALE I:1
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC F SYMBOL LEGEND DRAWING OXX ± .01 ARAWING OXX ± .005 ARAWING OXX ± .01 ARAWING ARAWING OXX ± .01 ARAWING OXX ± .01 ARAWING	CLEARANCE RECOM ONTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISION ARDS: IULTI AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING DO NOT SCALE DR. DIMENSION HEET 2 OF 5	LL BE IN N OF THE FOLLOWING ANSI AWING FOR NS
	NOTES: I. APPROX SYSTEM WEIGHT: 32: 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC I SYMBOL LEGEND SOLID EDGE OXX ± .01 OF CONFIDENTIAL DISCLOSURE TOLERANCES NOT SOLID EDGE OXX ± .01 OF CONFIDENTIAL DISCLOSURE This drawing is the property of POWEREX of the SCOTT FEIZER COMFIDENTIAL DISCLOSURE This drawing is the property of POWEREX of the SCOTT FEIZER COMFIDENTIAL DISCLOSURE This drawing is the property of POWEREX of the SCOTT FEIZER COMFIDENTIAL DISCLOSURE This drawing is subject to return on demand. Its contents are confidential and must not be copied or submitted to outside parties for use or examination. ITEM ID. 716302	CLEARANCE RECOM NTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISION ARDS: IULTI AND SECTIONAL VIEW DWGS IMENSIONING AND TOLERANCING DO NOT SCALE DR. DIMENSION HEET 2 OF 5 R ORIGINATION DATE APPROV ek 10/2/2018	LL BE IN N OF THE FOLLOWING ANSI AWING FOR NS SCALE I:1
	NOTES: I. APPROX SYSTEM WEIGHT: 323 2. 24" MINIMUM MAINTENANCE ALL SIDES. CLEARANCE FOR CO ACCORDANCE WITH OSHA/NEC I SYMBOL LEGEND DRAWING OXXX ± 01 DRAWING OXXX ± 01 DRAWING OXXX ± 0.05 INCH S CONFIDENTIAL DISCLOSURE This drawing is the property of POWEREX of the SCOTT FEIZER COMPANY ond is subject to return on demand Its contents are confidential and must not be copied or submitted to outside parties for use or examination. ITEM ID.	CLEARANCE RECOM NTROL PANELSHAI REQUIREMENTS GS TO CONFORM TO CURRENT REVISION ARDS: IULTI AND SECTIONAL VIEW DWGS IMMENSIONING AND TOLERANCING DO NOT SCALE DR. DIMENSION HEET 2 OF 5 R ORIGINATION DATE APPROV ek 10/2/2018 ISO PRODUCTION DRIVE, HARRISG (888) 769-7979	LL BE IN N OF THE FOLLOWING ANSI AWING FOR S SCALE I:I ALS ON FILE IN PL



STMBUL LEG	END		STANDARDS		RENT REVISION	JF THE FULLOWIN	IG AINSI
			YI4.3 MULTI	AND SECTIONAL VIE			
			TI4.5 DIVIEN	SIGNING AND TOLEN	AINCING		
TOLERAN SPEC	ICES NOT IFIED	SOLID EDGE DRAWING		DO NOT S	CALE DRA		
0.XX ±	.01	DRAMING		D			
0.XXX ±	.005	INCH	СПЕ	ET 3 OF 5	5	SCALE	:
∠±	.5	INCL	SIL)	SCALE	1:1
-	ONFIDENTIAL D ving is the pro of the SCOTT	operty of POWEREX	AUTHOR	ORIGINATION DATE	APPROVA	LS ON FILE	IN PLM
Its contents	nd is subject are confider copied or sub	to return on demand. Itial and must not be	ASoulek	10/2/2018			
ітем іD: 716302				PO	WE	NE	K
MATERIAL: SEE PAF	RT DRAWI	NGS		I50 PRODUCTION	B 7 8 6 DRIVE, HARRISON 8) 769-7979	0H 45030	.
	_ OPEN S	SCROLL IO HP DO GALLON	DRAWING NUMB	ER		REVISION A	D






REVISION NO	TES	
DESCRIPTION	ECN	PR/NOR
PRODUCTION RELASE	PXEC0169	N/A

TO DISCHARGE TREE

SYMBOL LEG	END		STANDARDS YI4.3 MULTI	O CONFORM TO CUP : I AND SECTIONAL VIE SIONING AND TOLER	EW DWGS	OF THE FOLLOWIN	IG ANSI
	NCES NOT CIFIED	SOLID EDGE DRAWING			CALE DRA		
0.XXX ±	.005 .5	INCH	SHE	ET 4 OF 5	5	SCALE	:
	ONFIDENTIAL D wing is the pro	operty of POWEREX	AUTHOR	ORIGINATION DATE	APPROVA	LS ON FILE	IN PLM
Its contents	s are confider copied or sub	to return on demand. Itial and must not be Imitted to e or examination.	ASoulek	10/2/2018			
ITEM ID: 716302)			PO	VIE	RE	K
MATERIAL: SEE PAF	RT DRAWI	NGS	,	I50 PRODUCTION	DRIVE, HARRISON 81 769-7979	M M O L O I OH 45030	<u>•</u> •
	L OPEN S	SCROLL IO HP DO GALLON	DRAWING NUME			REVISION A	D

	PIPE SIZE CHART	
PUMP COUNT	DRYER PLUMBING SIZE	OUTLET PIPE SIZE
2	1/2"	1/2"
3	1/2"	[<i>"</i>
4	1/2"	["
6	["	I-I/2"
8	["	I-I/2"
9	["	I-I/2"
12	- /2"	2"
15	I-I/2"	2"
18	- /2"	2"



MSTI0A5 MEDICAL OPEN SCROLL IO HP TRIPLEX WITH 200 GALLON TANK MEDICAL DRYER FLOW DIAGRAM

\vdash	DESCRIPTION		ECN	PR/NOR
L	PRODUCTION RELA	NSE	PXEC0169	N/A
		00000000		
	SYMBOL LEGEND	STANDARDS: YI4.3 MULTI	AND SECTIONAL VIEW DWGS	N OF THE FULLOWING ANS
	TOLERANCES NOT SPECIFIED SOLID ED	I	SIONING AND TOLERANCING	
	0.XX ± .01 DRAWIN		DIMENSION	
	0.XXX ± .005 2 ± .5	SHE	ET 5 OF 5	SCALE I:
	CONFIDENTIAL DISCLOSURE This drawing is the property of POWERE of the SCOTT FETZER	^	ORIGINATION DATE APPROV	ALS ON FILE IN P
	COMPANY and is subject to return on dem Its contents are confidential and must no copied or submitted to outside parties for use or examination	^{and.} ASoulek	10/2/2018	
	ITEM ID:			
	716302 MATERIAL:		150 PRODUCTION DRIVE, HARRISC	DN 0H 45030
	SEE PART DRAWINGS	1	(888) 769-7979	
	DESCRIPTION MEDICAL OPEN SCROLL 10	DRAWING NUMB	BER	REVISION S

REVISION NOTES